# inagine<sup>®</sup> your home reinvented.



Discover your style with a distinctive Clopay® garage door.






## Clopay the right choice for your home.

- Clopay is North America's largest and most trusted residential garage door brand.
- A garage door can represent as much as 30% of your home's front façade, which makes choosing the right design especially important and Clopay has the widest selection available.
- Clopay garage doors are designed and manufactured in the USA.




## If you haven't looked at garage doors lately, prepare to be pleasantly surprised. Clopay has taken them from functional to fashionable.










5000 5000	Gallery® Steel	26
11	Availa.	ble in Crain® Finish









See what inspires you with the Clopay Door Imagination System.™ Upload a photo of your own home and see what style offers you the look you want. With just a few simple clicks, you can visualize the transformation and make it a reality!

To get started, open your camera and point at the QR code or visit <u>dis.clopay.com</u>.

Whether you choose a door that features the beauty of natural wood or the low maintenance of a composite or metal door, the Door Imagination System $^{\text{\tiny M}}$  will help you find your dream door.



Bridgeport™ Steel



Coachman®



Canyon Ridge®



## the DIFFERENCE

is in the details.

## statement makers

### **DEEP-EMBOSSED PANELS**



Natural woodgrain texture and detailed raised panel designs enhance the door's beauty.

### **COPED EDGES**



Coachman® garage doors are designed with stylish beveled, coped edges and decorative center grooves.

### HANDCRAFTED WOOD



Premium-quality wood harvested from sustainable and naturally fallen forestry provides exceptional beauty and durability.

### **ULTRA-GRAIN® FINISHES**



Faux-woodgrain steel door paint coatings offer the beauty of wood with far less upkeep.

### **FAUX WOOD**



Unique composite overlay doors combine the realism and beauty of real wood with the strength and energy efficiency of insulated steel.

### **DESIGNER WINDOWS**



Allow natural light into your garage and complement your home's exterior with beautiful window designs. Clopay's decorative inserts are removable for easy cleaning or to change designs.



## reliable, safe and durable construction

### **RUST-PREVENTION SYSTEM**



Steel skins are protected through a tough, layered coating system, including a hot-dipped galvanized layer, a protective metal oxide pretreatment and a bakedon primer and top coat.

### SEAL OUT THE ELEMENTS



Replaceable bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.

### CLOPAY'S SAFE-T-BRACKET®



Helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.

### **HEAVY-DUTY HARDWARE**



2" thick polystyrene doors and all Intellicore® polyurethane insulation doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.









### WARMER

Industry-leading R-values of up to 20.4 provide year-round comfort and energy savings.



### QUIETER

Just open a non-insulated garage door and then an Intellicore door, and you'll hear a huge difference.



### **STRONGER**

A Clopay garage door featuring Intellicore is nearly twice as strong as a polystyrene door of the same thickness, so it will look better, longer.



Look for this symbol on select products that feature Intellicore.

## AVANTE®

The perfect choice to modernize any home, the Avante turns an ordinary garage into a stunning architectural focal point. Fitted with tempered glass panels, the door fills the garage with natural light during the day and delivers a dramatic effect when the lights are turned on at night. The commercial-grade aluminum frame comes in a number of colors to complement your home. A variety of glass options allow you to bring as much or as little natural light in without compromising privacy.



## STYLE AND CONSTRUCTION

- Aluminum frame provides a virtually maintenance-free, long-lasting door.
- Intellicore® polyurethane insulated rails and stiles. (Model AXU)
- R-value 3.8/U-factor 0.86.
   (Model AXU when glazed with clear insulated glass)
- Many glass and panel options available.
- Section joint seal helps keep out air and water.
- Integral reinforcing fin provides increased strength and longevity. (Available on double car models)
- Heavy-duty steel ball bearing rollers with nylon tires provide quiet operation.
  - \*Doors wider than 14' include built-in reinforcing fin. Standard doors 12' and under do not use built-in reinforcing fin. Usage on widths 12'2" to 14' depend upon glass weight. WINDCODE® doors may vary. Contact your Clopay Dealer for details. Calculated door section R-value is in accordance with DASMA TDS-163.



## FRAME/SOLID PANEL COLOR OPTIONS

Clear Aluminum

Standard White (Painted)

Bronze (Painted)

Chocolate (Painted) Bronze (Anodized)

Black (Anodized)

Dark Bronze

Due to the anodizing process, color variation may occur. The use of "Bronze (Painted)" is recommended for a more consistent bronze finish color.

## CUSTOM PAINT OPTIONS

Custom colors make Avante® garage doors personal. Choose a Color Blast® finish or RAL Powder Coating to create the perfect door. The only limit is your imagination! See your Clopay Dealer for details.








Model AXU not available with RAL Powder Coat finish



## DOOR DESIGNS



## **HARDWARE**

Attractive color-matched aluminum grip handles.

Available in all standard color options.

## WARRANTIES



LIMITED **3YR** WARRANTY

## **GLASS/PANEL OPTIONS**



Clear Glass'



Gray Tinted Glass\*



Bronze Tinted Glass\*



Mirrored Glass\*



Obscure Glass\*





Clear Laminate Impact Rated Glass<sup>†</sup>



White Laminate Glass



Black Laminate Glass



Frosted Glass\*



Frosted Acrylic



Clear Acrylic



Gray Acrylic



Bronze Acrylic



White Acrylic





Black Acrylic

- Glass available in single pane or insulated (laminated and mirrored glass not available insulated).
- Panels can be aluminum to match the aluminum frame. Glass/acrylic panels may be combined with aluminum panels. Custom glass and colors available.
  - \*Glass is tempered.
  - † 5/16" clear laminate impact rated glass is available only on AXW8/AXUW8.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details.

See your Clopay Dealer for details.



Clear Polygal™



Bronze Polygal™



Clear Anodized (Color-matched to frame)

## AVANTE SLEEK

A departure from the grid-like pattern of standard aluminum and glass garage doors, the new Avante Sleek model features slim horizontal glass windows and minimal vertical stiles for broad unobstructed views. If you're in search of a garage door with a minimalist frame design that gives off "panoramic vibes" and lets in plenty of daylight, this is it. Customize the door in a number of painted or anodized finishes and glazing options.



## STYLE AND CONSTRUCTION

- Aluminum frame provides a virtually maintenance-free, long-lasting door.
- Intellicore® polyurethane insulated rails and stiles. (Models AZ5U and AZ6U)
- Many glass and panel options available.
- Section joint seal helps keep out air and water.
- Integral reinforcing fin provides increased strength and longevity. (Available on double car models)
- Heavy-duty steel ball bearing rollers with nylon tires provide quiet operation.

\*Doors wider that 14' include built-in reinforcing fin. Standard doors 12' and under do not use built-in reinforcing fin. Usage on widths 12'2" to 14' depend upon glass weight. WINDCODE® doors may vary. Contact your Clopay Dealer for details. Calculated door section R-value is in accordance with DASMA TDS-163.



## FRAME/SOLID PANEL **COLOR OPTIONS**

Clear Aluminum (Anodized)

Standard White (Painted)

Bronze (Painted)

Chocolate (Painted)







Due to the anodizing process, color variation may occur. The use of "Bronze (Painted)" is recommended for a more consistent bronze finish color.

## CUSTOM PAINT OPTIONS


Custom colors make Avante® garage doors personal. Choose a Color Blast® finish or RAL Powder Coating to create the perfect door. The only limit is your imagination! See your Clopay Dealer for details.



Models AZ5U and AZ6U not available with RAL Powder Coat finish.



## DOOR DESIGNS



(Double car door)

## **HARDWARE** Attractive color-matched aluminum grip handles. Available in all standard color options.



## **GLASS/PANEL OPTIONS**

MODELS AZ5, AZ5U



Clear Acrylic MODELS AZ6, AZ6U



Gray Acrylic



Bronze Acrylic



White Acrylic



Black Acrylic



Frosted Acrylic



Clear Anodized (Color-matched to frame)



Clear Glass\*



Gray Tinted Glass\*



Bronze Tinted



Mirrored Glass\*



Obscure Glass'



Frosted Glass\* (Satin Etched)



Clear Anodized (Color-matched to frame)

- Glass available in single pane or insulated (laminated and mirrored glass not available insulated).
- Panels can be aluminum to match the aluminum frame. Glass/acrylic panels may be combined with aluminum panels. Custom glass and colors available.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details. See your Clopay Dealer for details.

<sup>\*</sup>Glass is tempered.



## CANYON RIDGE®

carriage house

## **5-LAYER CONSTRUCTION**

Beautiful and unique, Canyon Ridge® Carriage House garage doors are constructed with an energy-efficient, Intellicore® polyurethane insulated steel base and finished with faux-wood composite cladding and overlays. The appearance is that of authentic swing-out doors but with the convenience of modern, upward operation.

The cladding and overlay materials are molded from actual wood to reproduce the natural texture and grain patterns of the species that they emulate. The result is a distinctive wood-look door that is often indistinguishable from the real thing.





## **CUSTOM PAINT OPTION**



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.





- COMPOSITE OVERLAY
- COMPOSITE CLADDING
- STEEL
- 2" INTELLICORE® POLYURETHANE INSULATION
- 5 STEEL

- 5-layer, composite, faux-wood doors with Intellicore® polyurethane insulation. 20.4 R-value.
- Multiple door designs and window options. Many custom designs also available. See your Clopay Dealer for more information.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 49 for specialty glass options.
- Attractive beveled-edge, clip-in window grilles are removable for easy cleaning.
- Comes complete with spade lift handles and step plates. See pages 50-51 for details.

Calculated door section R-value is in accordance with DASMA TDS-163.
Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

## DOOR DESIGNS











Design 35





Design 01 SERIES 2 -

Design 21

SERIES 1





Design 23



Design 36



Design 37



Design 38

Design 34

Doors shown in Dark Finish with Clear Cypress cladding and Clear Cypress overlays. Design 01 does not have overlays.

## WINDOW/TOP SECTIONS

Design 22



## MATERIAL DESIGN OPTIONS



Pecky Cypress





Composite cladding and overlay material options may be mixed and matched



Mahogany

## COLORS



Charcoal

Finish\*





Finish\*



Finish\*





Bronze Finish<sup>3</sup>

\* Bronze, Charcoal, Black and White Finish available only on Mahogany cladding and overlays. Two-tone doors are available. To see all available options go to: dis.clopay.com

White Primed

(No Finish)

Doors can be ordered primed for those homeowners wishing to custom paint or stain their doors. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.



## CANYON RIDGE®

carriage house

## **4-LAYER CONSTRUCTION**

Beautiful and unique, Canyon Ridge® Carriage House garage doors are constructed with an energy-efficient, Intellicore® polyurethane insulated steel base and topped with faux wood overlays. The appearance is that of authentic swing-out doors but with the convenience of modern, upward operation. The steel base is available in Ultra-Grain® finish and solid colors for the perfect complement to your home. The overlay materials are molded from actual wood to reproduce the natural texture and grain patterns of the species that they emulate. The combination of steel and overlay creates a distinct look.







## **CUSTOM PAINT OPTION**



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.





- COMPOSITE OVERLAY
- STEEL WITH ULTRA-GRAIN® PAINT FINISH (SHOWN) OR SOLID COLOR STEEL
- 2" INTELLICORE® POLYURETHANE INSULATION
- 4 STEEL

- 4-layer, faux-wood steel doors with Intellicore® polyurethane insulation. 18.4 R-value.
- Multiple door designs and window options. Many custom designs also available. See your Clopay Dealer for more information.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 49 for specialty glass options.
- Attractive beveled-edge, clip-in window grilles are removable for easy cleaning.
- Comes complete with spade lift handles and step plates. See pages 50-51 for details.

Calculated door section R-value is in accordance with DASMA TDS-163.
Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

## DOOR DESIGNS













Design 33



Design 11 Design 12 Design 13 SERIES 2 -







Design 35



Design 36

Design 32




Design 37



All doors shown in Medium Finish with Clear Cypress overlays.

Design 22

## WINDOW/TOP SECTIONS



## MATERIAL DESIGN OPTIONS



Ultra-Grain® Finish Clear Cypress or Solid Color Steel

Composite cladding is not present on Carriage House 4-Layer doors.



Clear Cypress



Mahogany

## COLORS









Medium Finish





Ultra-Grain® Cypress Charcoal Finish\* Walnut Finish




Slate Finish

Ultra-Grain® Cypress Black Finish\*

Doors can be ordered primed for those homeowners wishing to custom paint their doors. Note: Primed solid steel base is a brown color. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.

\*Bronze, Charcoal, Black and White Finish available only on Mahogany overlays.

Two-tone doors are available. To see all available options go to: dis.clopay.com. Steel surfaces have woodgrain texture.



## CANYON RIDGE®

## chevron

Chevron patterns have a modern, geometric feel for a timeless door that adds a hint of old-world charm and character to your home's exterior. Choose from four designs of diagonally placed planks constructed in low-maintenance faux wood composite cladding that looks and feels like real wood. These moisture-resistant doors won't rot, warp or crack and can be factory-painted or stained for a unique, eye-catching door that lasts.

DELAMINATION

LIMITED

SYR
VARRANTY

LIMITED 5 YR WARRANTY

## **CUSTOM PAINT OPTION**



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.



- 5-layer, composite, faux-wood doors with Intellicore® polyurethane insulation. 20.4 R-value.
- Multiple door designs and window options. Many custom designs also available. See your Clopay Dealer for more information.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 49 for specialty glass options.
- Attractive beveled-edge, clip-in window grilles are removable for easy cleaning.
- Comes complete with spade lift handles and step plates. See pages 50-51 for details.

Calculated door section R-value is in accordance with DASMA TDS-163.
Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

## DOOR DESIGNS




Doors shown in Bronze Finish with Mahogany cladding and Mahogany overlays.

## CLADDING DESIGN OPTIONS



## WINDOW/TOP SECTIONS



## MATERIAL DESIGN OPTIONS



## COLORS

Charcoal

Finish'

Black

Finish'



White

Finish<sup>3</sup>

Primed

(No Finish)

Doors can be ordered primed for those homeowners wishing to custom paint or stain their doors. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.

go to: dis.clopay.com

\* Bronze, Charcoal, Black and White Finish available only on Mahogany cladding and overlays. Two-tone doors are available. To see all available options



## CANYON RIDGE®

## louver

Versatile and unique, the plantation shutter style Canyon Ridge® Louver garage doors are a perfect complement to coastal beach homes or colonial estates. They can also be a standout piece on traditional exteriors or modern farmhouses. Whatever your style, these doors add "wow" factor to your home. As with all Canyon Ridge doors, they are constructed with a strong, Intellicore® polyurethane insulated, steel door base with the added beauty of faux wood. The result is a low maintenance door

that is a perfect way to add flare to your home.



HARDWARE
LIMITED
5 YR
WARRANTY

## CUSTOM PAINT OPTION



Color Blast<sup>®</sup> finish offers more than 1,500 Sherwin-Williams<sup>®</sup> color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.



- Faux-wood doors with Intellicore® polyurethane insulation. R-values from 18.4 to 20.4.
- Multiple door designs and window options. Many custom designs also available. See your Clopay Dealer for more information.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 49 for specialty glass options.
- Attractive beveled-edge, clip-in window grilles are removable for easy cleaning.
- Comes complete with spade lift handles and step plates. See pages 50-51 for details.

Design 55

Calculated door section R-value is in accordance with DASMA TDS-163.
Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

## DOOR DESIGNS

SERIES 4


Design 51



Design 54

## WINDOW/TOP SECTIONS

Design 52



Design 53

Window grilles are Mahogany texture. Windows available only on Louver Design 52. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2' Impact windows available on the following widths only: 8'0", 9'0", 10'0", 12'2", 16'2", 18'2".



Design 52 with REC11 Windows

## MATERIAL DESIGN OPTIONS



Louver Mahogany



Ultra-Grain® Finish Clear Cypress or Solid Color Steel

Clear Cypress



Mahogany

Medium

Finish

Charcoal

Finish<sup>†</sup>

COLORS



Finish\*

Black

Finish<sup>†</sup>



Finish

White

Finish<sup>1</sup>

Walnut



Slate Finish

Primed

(No Finish)



Bronze Finish<sup>†</sup>

\*Dark Finish not available as a base steel color on Designs 41, 42, 43, 44, 45, 46 and 47. Bronze, Charcoal, Black and White Finish available only on Mahogany cladding and overlavs.

Two-tone doors are available. To see all available options go to: dis.clopay.com.

Steel surfaces have woodgrain texture. Doors can be ordered primed for those homeowners wishing to custom paint or stain their doors. Note: Primed solid steel base is a brown color. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.

**Note:** Cladding and overlay material options may be mixed and matched.



## CANYON RIDGE®

## modern

Canyon Ridge® Modern faux-wood garage doors are constructed from a durable, low-maintenance, composite material that won't rot, warp or crack. As versatile and realistic-looking as natural wood but requiring far less upkeep, the Modern garage door designs feature key elements of contemporary architecture: clean, horizontal lines with mid-century appeal, sleek window styles and aluminum accents. These faux-wood doors are a perfect complement to other natural materials and textures on your home's exterior.

## CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.



- Plank design: Faux-wood doors with Intellicore® polyurethane insulation. 20.4 R-value.
- Metal Inlay design: Faux-wood doors with Intellicore® polyurethane insulation. 18.4 R-value.
- Full-View design: Faux-wood doors with Intellicore® polyurethane insulation. 6.3 R-value.
- Multiple window configurations available for Plank doors. See your Clopay Dealer for more information.
- Many glass options available including clear, frosted, rain and obscure as well as insulated. See page 49 for specialty glass options.
- Comes complete with spade lift handles and step plates. Optional aluminum grip handles are also available. See pages 50-51 for details.

Calculated door section R-value is in accordance with DASMA TDS-163. Weighted average calculations using insulated glass windows in all sections, all panels. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

## DOOR DESIGNS



## **WINDOWS**

Available only on Plank door designs.



Both window sizes are available on single car and double car doors.

### PLANK WINDOW CONFIGURATIONS



Note: Configurations are illustrated from outside garage. When ordering, window locations are identified from inside garage looking out. Please keep in mind to avoid windows ordered in incorrect location.

## MATERIAL DESIGN OPTIONS





Clear Cypress



Mahogany



Clear Cypress



Mahogany

**FULL-VIEW OVERLAY** 



Clear Cypress



Mahogany

## COLORS



Dark











White

Finish\*

(No Finish)

Primed

5YR



WARRANTIES

<sup>\*</sup>Bronze, Charcoal, Black and White Finish available only on Mahogany cladding and overlays. Doors can be ordered primed for those homeowners wishing to custom paint or stain their doors. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.

## COACHMAN®

The perfect blend of beauty and practicality, these carriage house doors look like wood, but they are actually crafted of multiple layers of durable, low-maintenance steel and insulation topped with a woodgrain-textured composite overlay.


Accented with decorative black wrought iron hardware, Coachman® garage doors have the charming appearance of an old-fashioned swing-out door, but offer the built-in convenience of modern upward operation.



Complete overlay and true arch window designs provide an authentic carriage house look, setting Clopay's Coachman® garage doors above the rest.




## DOOR DESIGNS



Coachman doors can be painted using a high-quality exterior latex paint. IMPORTANT: For doors being painted black and very dark colors (having an LRV of 12 or less), please order Canyon Ridge Carriage House 4-Layer in Black or primed. For colors having an LRV of 13 to 38 we require the use of tested and approved paints. A list of tested and approved paints can be found at: <a href="http://info.garagedoors.com/lnv">http://info.garagedoors.com/lnv</a>.

Not all panel and window options available in all model widths and heights. See your Clopay Dealer for more details or go to <a href="https://www.clopaydoor.com">www.clopaydoor.com</a>.

## WINDOW/TOP SECTIONS




Additional double width door designs available.



## **COLORS**

White

STEEL BASE/COMPOSITE OVERLAY COLORS



Overlay and base colors can be mixed to achieve desired look. Interior steel is always White.

Due to the printing process, colors may vary.

## **CUSTOM PAINT OPTION**



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

## WARRANTIES

LIMITED
LIFE
WARRANTY

DISCOLORATION
LIMITED
10 YEAR
WARRANTY

OVERLAY
DELAMINATION
LIMITED
5 YEAR
WARRANTY

LIMITED
5 YEAR
WARRANTY

## STYLE AND CONSTRUCTION

- 2" Intellicore® polyurethane,
   2" or 1-3/8" bonded
   polystyrene insulation.
   R-values from 6.5 to 18.4.
- Woodgrain-embossed, insulated, steel base door painted front and back.
- Composite overlay with beveled, coped edge and center groove creates a detailed carriage house look.
- Many glass options available including clear, frosted, seeded, rain and obscure as well as insulated. Grilles are removable for easy cleaning. See page 49 for specialty glass options.
- Comes complete with spade lift handles and step plates.
   See pages 50-51 for details.

Calculated door section R-value is in accordance with DASMA TDS-163.





- 1 COMPOSITE OVERLAY
- 2 STEEL
  INTELLICORE®
  POLYURETHANE
  OR POLYSTYRENE
  INSULATION
- 4 STEEL



## GRAND HARBOR®

When budget is the deciding factor, this low-maintenance, insulationoptional steel frame carriage house style garage door combines clean lines and classic charm to provide a popular style at a great value.

Accented with decorative black wrought iron hardware, these doors have the appearance of a swing-out door, but offer the convenience of modern upward operation.




DISCOLORATION LIMITED

10 YEAR
WARRANTY



LIMITED 3 YR WARRANTY







- Woodgrain-embossed, 24 gauge steel frame construction with 1/2" smooth composite overlay creates authentic carriage house styling.
- Optional 1-5/8" vinyl-backed polystyrene insulation improves energy efficiency. 6.3 R-value.
- Glass available in clear or obscure and acrylic wrought iron designs. Unique faux-window top section also an option.
- Comes complete with spade lift handles and step plates. See pages 50-51 for details.

Calculated door section R-value is in accordance with DASMA TDS-163.





COMPOSITE OVERLAY

2 STEEL

POLYSTYRENE INSULATION

## DOOR DESIGNS





GH11







GH21 SERIES 4



GH41

SOLID PANELS - SERIES 1 & SERIES 2

## SERIES 3





## WINDOW/TOP SECTIONS

### WINDOWS











Grille on ARCH1



XG24

**FAUX WINDOWS** 





SOLID PANELS - SERIES 3 & SERIES 4



## Wrought Iron Short

INTER Wrought Iron Long

SQ24

Additional double width door designs available.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details.

## **COLORS**

White

SQ22



Tan

Note: Overlay available in Standard White only. Due to the printing process, colors may vary. Can be painted using a high-quality exterior latex paint.

## CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

## GALLERY® STEEL

We've taken the iconic raised panel steel garage door and given it a vintage feel by adding a grooved panel design, optional decorative windows and wrought iron hardware with many unique color choices including Ultra-Grain® finish, Clopay's exclusive faux-woodgrain paint finish. The result is classic, versatile styling and durability at a price that bridges the gap between simply being on your wish list and reality.





LAYER











## STYLE AND CONSTRUCTION

- 1-layer, 2-layer and 3-layer construction with short or long vertical grooved steel panels.
- Intellicore® polyurethane or polystyrene insulation. R-values from 6.3 to 18.4.
- Hot-dipped galvanized steel skin with a baked-on primer and top coat helps ensure durability and long-lasting beauty.
- Many glass options available including clear, frosted, seeded, rain, obscure and wrought iron designs as well as insulated. Grilles are removable for easy cleaning. See page 49 for specialty glass options.
- Comes complete with spade lift handles and step plates. See pages 50-51 for details.

Calculated door section R-value is in accordance with DASMA TDS-163.



## COLORS



Medium Finish\*† Dark Finish\*† Walnut Finish\*† Slate Finish

\*See Product Selection Chart (back cover) for color and finish availability. Not available on all models.

† Additional charges apply.

Due to the printing process, colors may vary. Doors can be painted to match the home's exterior.

Steel surface texture will vary depending on door model.

See pages 38-39 for more information regarding Ultra-Grain® finishes.

## **CUSTOM PAINT OPTION**



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.



## DOOR DESIGNS



## DETAIL

Deep-embossed panels with smooth, stucco or woodgrain surface texture improve appearance close-up and from the curb.



## WARRANTIES



LIMITED **15 YR** WARRANTY

LIMITED **10 YR** WARRANTY LIMITED 3YR

See your Clopay Dealer for full details.

## **WINDOWS**



Plain Short





ARCH2





Clayton™ Short\*



REC12



REC14



Vertical Grille on ARCH1



Vertical Grille on ARCH2







Additional double width door designs available.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details.

\*Complements Clopay Entry Door glass.



SQ22




SQ24





Grille on ARCH2











Wrought Iron Arch\*

<sup>\*</sup>Lifetime Paint System warranty on most models. 15-Year Paint System warranty on 25 gauge, 2 and 1-layer models.



## BRIDGEPORT Bridgeport Steel garage doors combine of wood stile and rail door designs. Avail

Bridgeport™ Steel garage doors combine the traditional symmetry of wood stile and rail door designs. Available with or without insulation, it is virtually maintenance-free, so the first fabulous impression becomes a lasting one.













- 1-layer, 2-layer and 3-layer construction with narrow and extended, recessed steel panels.
- Intellicore® polyurethane or polystyrene insulation. R-values ranging from 6.3 to 18.4.
- Hot-dipped galvanized steel skin with a baked-on primer and top coat helps ensure durability and long-lasting beauty.
- Many glass options available including clear, frosted, seeded, rain, obscure and wrought iron designs as well as insulated. Grilles are removable for easy cleaning. See page 49 for specialty glass options.
- Comes complete with color-matched lift handles.
   See pages 50–51 for details.

Calculated door section R-value is in accordance with DASMA TDS-163.

## DOOR DESIGNS



Extended

## **DETAIL**

A true recessed stamp replicates the timeless look of a rail and stile built wood door.



## COLORS



\*See Product Selection Chart (back cover) for color and finish availability. Not available on all models.

Acrylic windows require special cleaning. Never use products

that contain ammonia or petroleum products to clean acrylic. Please visit <a href="www.clopaydoor.com/acrylic">www.clopaydoor.com/acrylic</a> for complete details.

†Additional charges apply.

Steel surface texture will vary depending on door model.

See pages 38-39 for more information regarding Ultra-Grain® finishes.

## WARRANTIES



LIMITED 15 YR WARRANTY LIMITED 10 YR WARRANTY LIMITED 3 YR WARRANTY

Vertical Grille on ARCH2


## **CUSTOM PAINT OPTION**



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.


## WINDOWS

ARCH2



Grille on ARCH2

<sup>\*</sup>Lifetime Paint System warranty on most models. 15-Year Paint System warranty on 25 gauge, 2 and 1-layer models. See your Clopay Dealer for full details.



## MODERNSTEEL

Modern Steel<sup>™</sup> garage doors complement contemporary and mid-century modern home styles. Doors are available with or without windows and with or without grooves in the panels. All are available in multiple paint, Ultra-Grain<sup>®</sup> and Lustra<sup>™</sup> finishes to create the perfect look for your home.







LAYER



LAYER







## STYLE AND CONSTRUCTION

- Intellicore® polyurethane or polystyrene insulation with R-values ranging from 6.3 to 18.4.
- Exterior steel on Modern Flush and Grooved doors have a smooth, stucco or woodgrain texture.

Calculated door section R-value is in accordance with DASMA TDS-163.

## **COLORS**




Due to the printing process, colors may vary.

Doors can be painted to match the home's exterior.

- \*See Product Selection Chart (back cover) for color and finish availability. Not available on all models.
- † Additional charges apply.
- See pages 38–39 for more information regarding Ultra-Grain® finishes.

## DOOR DESIGNS



Modern Flush



Modern Grooved

## WARRANTIES







## **WINDOWS**

See pages 36-37 for window options.

## **ULTRA-GRAIN® PLANK**





Kona Finish\*†

Coastal Gray Finish\*†

## **CUSTOM PAINT OPTION**




Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

## CONTEMPORARY WINDOWS

Modern Steel™ doors offer contemporary window configurations that are available in many design options, including windows in each section and down one side, short, long and slim windows or windows in all sections. For doors with multiple window sections, the window locations must be the same in every section.

Door models offering these configurations utilize 24" and 21" section heights. See your Clopay Dealer for full details.





Long Plain Windows in all panel locations



Slim Windows down left side

Note: Contemporary window configurations are described from inside the garage looking out.

## CLASSIC STEEL

## **PREMIUM**

Available in a wide range of looks and colors, Clopay's Classic<sup>™</sup> Steel Premium insulated steel doors complement every home so there's no sacrificing style for strength, durability and comfort.



















## 3 LAYER

## STYLE AND CONSTRUCTION

- 3-layer, steel construction for energy efficiency, quiet operation and maximum durability.
- 2" or 1-3/8" Intellicore® polyurethane or bonded polystyrene insulation. R-values from 6.5 to 18.4.
- Insulated steel door painted front and back for a virtually maintenance-free door.

Calculated door section R-value is in accordance with DASMA TDS-163.

## DOOR DESIGNS



Short Elegant



Long Elegant

## DETAIL



Decorative panel edging and natural-embossed woodgrain or stucco (Ultra-Grain only) texture improve appearance close-up and from the curb.

## **WINDOWS**

Available with insulated or non-insulated windows. See pages 36–37 for window options.

## WARRANTIES







## COLORS



Due to the printing process, colors may vary. Doors can be painted to match the home's exterior. Doors with standard colors have woodgrain-textured steel surface.

\*See Product Selection Chart (back cover) for color and finish availability. Not available on all models.

See pages 38-39 for more information regarding Ultra-Grain® finishes.

## CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.



## CLASSIC STEEL

## VALUE PLUS AND VALUE

Value Plus heavy-duty, two-layer, steel construction with insulation adds comfort, energy efficiency and quiet operation. Value single-layer, non-insulated construction provides beauty and durability at an economical price.





## $\mathsf{COLORS}$ Doors can be painted to match the home's exterior.



\*See Product Selection Chart (back cover) for color availability. Not available on all models. Due to the printing process, colors may vary.

## DOOR DESIGNS





Long Traditional

## DETAIL



Decorative panel edging and natural-embossed woodgrain texture improve appearance close-up and from the curb.

## STYLE AND CONSTRUCTION

- Quality 24 or 25 gauge steel construction for durability and longevity.
- Polystyrene, vinyl-backed insulation for improved energy efficiency. 6.3 R-value.
- Woodgrain-textured, short and long raised panel designs complement many home styles.

Calculated door section R-value is in accordance with DASMA TDS-163.

## **WINDOWS**

See pages 36-37 for window options.

## WARRANTIES



24 gauge

LIMITED
25 YR
WARRANTY

25 gauge

2-laver

LIMITED
15 YR
WARRANTY

25 gauge

1-laver

LIMITED 10 YR WARRANTY

LIMITED

3 YR

WARRANTY

See your
Clopay Dealer
for warranty
details.

## **CUSTOM PAINT OPTION**



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

## DESIGN & CONSTRUCTION

intelli core CONSIDERATIONS FOR SELECTING YOUR PERFECT **GARAGE DOOR** VALUE PLUS VALUE DOOR DESIGNS 2-LAYER **GLASS &** 3-LAYER 3-LAYER 3-LAYER 3-LAYER 1-LAYER ALUMINUM 2" Polyurethane 1-3/8" Polyurethane 2" Bonded Polystyrene 1-3/8" Bonded Polystyrene Polystyrene Non-Insulated AVANTE® & AVANTE® SLEEK CANYON RIDGE® CARRIAGE HOUSE, CHEVRON, LOUVER & MODERN COACHMAN® **GRAND HARBOR®** GALLERY® STEEL GALLERY® STEEL - ULTRA-GRAIN® & LUSTRA™\* FINISHES BRIDGEPORT™ STEEL BRIDGEPORT™ STEEL - ULTRA-GRAIN® & LUSTRA™\* FINISHES MODERN STEEL™ MODERN STEEL™ – ULTRA-GRAIN®, LUSTRA™\* & ULTRA-GRAIN® PLANK\* FINISHES \_\_\_\_ CLASSIC™ STEEL CLASSIC™ STEEL - ULTRA-GRAIN® FINISH **CONSIDERATIONS** R-VALUE / 12.9 9.0 6.5 6.3 3.8 18.4<sup>‡</sup> ◀)) CONTROL DENT RESISTANCE SECURITY LIMITED 15 LIFE YEAR LIMITED LIMITED LIMITED LIMITED PAINT SYSTEM LIFE LIFE LIFE WARRANTY

<sup>\*</sup>Lustra™ and Ultra-Grain® Plank finish options available on select 2" Intellicore® polyurethane garage doors.

<sup>†</sup>Intellicore® polyurethane insulated rails and stiles available on Avante® Models AZ5U, AZ6U and AXU. R-value 3.8/U-factor 0.86 when glazed with clear insulated glass on Avante® Model AXU. †Canyon Ridge® R-values range from 6.3 to 20.4. See pages 13, 15, 17, 19 and 21 for more information.

Calculated door section R-value is in accordance with DASMA TDS-163.

## Windows

## FOR MODERN STEEL™ AND CLASSIC™ STEEL GARAGE DOORS

## **DECORATIVE INSERT SERIES\***



Clopay Decorative Insert Series is made of tough UV-protected cellular plastic. Glass available in clear, obscure, acrylic and insulated options. Inserts are removable for easy cleaning.







Colonial 509



Charleston 508



Prairie 510



Stockton 612



Prairie 610

Charleston 608



Madison 611



Madison Arch 613



Sunset 501\* (8', 9', 12', 16', 17', 18', 20' widths only)



Sunset 502\* (7', 7'6", 12' widths only)



Sunset 601\*



Sunset 503\* (8', 9', 16', 17', 18' widths only)



Sunset 504\* (14', 15', 15'6" widths only)



Sunset 505\* (16', 17', 18' widths only)



Sunset 506\* (10', 20' widths only)



Sunset 603\*




Sunset 605\* (15', 15'6", 16', 17', 18' widths only)

#### CONTEMPORARY/ARCHITECTURAL SERIES (GLASS)

Featuring a larger viewing area, these windows are available on 2" and 1-3/8" Modern Steel™ and Classic™ Steel Premium Intellicore® polyurethane insulation doors. They are also available on select 2" and 1-3/8" Modern Steel™ and Classic™ Steel polystyrene doors. Insulated glass is available. See your Clopay Dealer for full model availability.

\*\* Complements Clopay Entry Door glass. † Wrought Iron acrylic windows not available insulated. Additional double width door designs available.



#### CONTEMPORARY SLIM (GLASS)

Contemporary Slim windows are designed to further enhance the clean aesthetic common to modern architecture. Contemporary Slim windows are 37" × 8" with aluminum frames available in anodized silver or powder coated black on select insulated 2" thick Modern Steel™ doors. See your Clopay Dealer for full model availability.




Glass is available in different designs depending on door model. Options include acrylic, clear, frosted, seeded, obscure and rain, as well as insulated versions for a more energy efficient door.



See page 49 for specialty glass options.

### love the look of wood but not the upkeep?



## discover ULTRA-GRAIN

Clopay's Ultra-Grain® finish is a durable, natural-looking, stained woodgrain finish designed specifically for steel garage doors. The Ultra-Grain® finish is an attractive, long-lasting and lower maintenance alternative to real wood.



Canyon Ridge® Carriage House 4-Layer, Design 22; Shown in Ultra-Grain® Cypress Slate Finish with Clear Cypress Overlays and REC14 Window Design

#### Ultra-Grain® finish is available on these products:

#### CANYON RIDGE®



Faux wood on an Ultra-Grain® finish steel door creates the look of a wood carriage house door without the added maintenance.

#### GALLERY® STEEL



Stamped steel carriage house doors offer many vintage-style design options.

#### BRIDGEPORT™ STEEL



A true recessed stamp replicates the timeless look of a rail and stile built wood door.

#### MODERN STEEL™

CYPRESS GRAIN

Horizontal grain

both a rustic and

pattern offers

contemporary

design option.

ULTRA-GRAIN® PLANK



Wood-look horizontal planks printed on a flush panel steel door.



CLASSIC™



Elegant raised panel designs complement most traditional home styles.



Cypress Grain, Medium Finish



Cypress Grain, Walnut Finish



Cypress Grain, Slate Finish



Oak Grain, Medium Finish



Oak Grain, Dark Finish



Oak Grain, Walnut Finish



Oak Grain, Slate Finish



Oak Grain, Medium Finish



Oak Grain, Dark Finish



Oak Grain, Walnut Finish



Oak Grain, Slate Finish



Cypress Grain, Medium Finish



Cypress Grain, Cherry Finish



Cypress Grain, Walnut Finish



Cypress Grain, Slate Finish



Kona Finish



Coastal Gray Finish



Cherry Grain, Medium Finish



Cherry Grain, Cherry Finish



Cherry Grain, Walnut Finish



## WINDOW FRAME DETAILS

Window frames on Classic™ Steel, Gallery® Steel, Bridgeport™ Steel and Modern Steel™ Ultra-Grain® finish garage doors are a solid color, designed to complement colors in the grain pattern.



#### DIRECTIONAL GRAIN PATTERN

On Gallery® Steel, Bridgeport™ Steel and Classic™ Steel doors, the oak woodgrain pattern runs horizontal along the rails and vertical along the stiles and panels for an authentic, natural look, while on the Canyon Ridge® and Modern Steel™ doors, the woodgrain runs uni-directional for an authentic, architecturally accurate look.



## COMPLEMENTING ENTRY DOORS

Ultra-Grain® finish colors complement Clopay's ENERGY STAR® qualified entry doors as well as other exterior stained wood products including shutters, columns and railings.



## RESERVE® WOOD

### limited edition and custom

Both stunning and substantial, every Clopay® Reserve® Wood garage door embodies our total commitment to timeless design, detail and craftsmanship with the warmth and character no other material can match.


Design a door specific to your home style with our Custom garage doors, or select a preconfigured style from our Limited Edition garage doors. Add our factory stain or paint option to provide a beautiful and durable finish.

#### STYLE AND CONSTRUCTION

- Both Limited Edition and Custom styles are handcrafted with 5 or 4 layers and insulated with polystyrene for improved energy efficiency. 5.9 R-value.
- All Reserve® Wood garage doors are built with a swing-out appearance and convenient upward operation.
- Custom doors feature unlimited design options and unlimited wood species. You dream it, we build it.
- Windows are available in true divided or simulated divided designs. Glass available in clear, obscure and insulated options. Custom options also available. See page 49 for specialty glass options.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.
- Optional replaceable bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- All doors can be factory primed or finish painted White. Factory stain available for stained grade wood species. Custom stain and paint colors also available.
- See Clopay's Wood brochure or go to www.clopaydoor.com for more wood door details.



- WOOD OVERLAY
- OPTIONAL BASE MATERIAL
- BASE MATERIAL
- POLYSTYRENE INSULATED HEMLOCK FRAME
- 2" LUAN INSIDE SKIN



\*Drip cap is available exclusively on tongue-and-groove (5-layer) and grooved Extira® wood (4-layer) configurations.





#### $DOOR\ DESIGNS\ \textit{All doors shown 8' wide}\times 7'\ \textit{high with tongue-and-groove, 5-layer material}.$















Additional double width door arch designs available.

Extira<sup>®</sup>



Design 1

WINDOW/TOP SECTIONS



#### MATERIAL OPTIONS

Redwood

Meranti



Cedar

Cedar

Cedar

Extira®



# RESERVE® WOOD modern

Clean lines and simple forms let the beauty of natural wood stand out. Clopay's versatile Modern doors let you mix materials, shape and tone to create a stunning contemporary garage door that blends beautifully with other woods and materials on your exterior.

#### STYLE AND CONSTRUCTION

- Handcrafted, 4-layer construction with polystyrene insulation for improved energy efficiency. 5.9 R-value.
- Built with a sleek contemporary style and convenient upward-acting operation.
- Offset Window models feature a variety of short and long window options that come standard with clear tempered glass. Other glass options include frosted and obscure. Custom options also available. See page 49 for specialty glass options.
- Accent Strip models feature decorative flush aluminum accent strips to provide a beautiful contrast of materials.
   The result is a look that is modern as well as elegant.
- Heavy-duty hinges, rollers and track provide smooth, quiet, long-lasting operation.
- Optional replaceable bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- All doors can be factory primed or finish painted White.
   Factory stain available for stained grade wood species.
   Custom stain and paint colors also available.
- Doors come standard with spade lift handles and step plates.
   Optional decorative hardware shown on pages 50-51.

Calculated door section R-value is in accordance with DASMA TDS-163.





#### DOOR DESIGNS





Accent Strip



Horizontal Cladding

Doors shown 8' wide × 7' high. Accent Strip and Horizontal Cladding models are available spliced and unspliced. Unspliced models are available up to 10' wide.

#### MATERIAL OPTIONS





Fir



Meranti

Note: All designs shown are illustrated from the exterior of the garage.

#### OFFSET WINDOW CONFIGURATIONS











Redwood






Door designs must be ordered based on the view from the interior of the garage. All right-hand designs are shown. Designs 1, 3, 5 and 6 are also available left-handed. \*Not available 10'1" to 13'6". Special order only.



## RESERVE® WOOD

### semi-custom

A natural wood carriage house door is the kind of door that gets people talking – one that transforms "just another pretty façade" into a neighborhood style icon. With our semi-custom line, you may be surprised to learn that this exclusive look doesn't necessarily exclude your budget.



#### STYLE AND CONSTRUCTION

- Handcrafted, 2-layer, non-insulated wood doors in authentic carriage house designs.
- All Reserve® Wood garage doors are built with a swing-out appearance and convenient upward operation.
- Available in three wood species. All stain-grade wood rails, stiles and panels are made from Redwood, Cedar or Hemlock. Paint-grade Extira® wood panels (smooth and grooved) are available with Hemlock stiles and rails.
- 1/4" thick imported Luan interior backer glued to stiles and rails.
- True divided windows are standard. Glass available in clear, obscure and insulated options. Custom options also available. See page 49 for specialty glass options.
- All doors can be factory primed or finish painted White. Factory stain available for stained grade wood species. Custom stain and paint colors also available.



#### DOOR DESIGNS All doors shown 8' wide × 7' high.













Design 1

Design 2

Design 3

Design 4

Design 5

Design 6

#### WINDOW/TOP SECTIONS




Additional double width door designs available.

#### MATERIAL OPTIONS



Paint grade and grooved doors cannot be stained.

## CLASSIC" WOOD



#### **RAISED PANEL**





#### MATERIAL OPTIONS



### MODEL **44**

## STYLE AND CONSTRUCTION

- 1-3/8" heavy-duty, stile and rail construction.
   Wood species include Redwood, Cedar,
   Hemlock and Extira® wood.
- Handcrafted, short or long raised panels in Redwood, Cedar, Hemlock (stain grade) or Extira® wood (paint grade).
- Multiple panel and section configurations available. See your Clopay Dealer for details.
- All doors can be factory primed or finish painted White. Factory stain available for stained grade wood species.

See page 48 for stain colors available. Note: Printed color shown here may vary from actual product colors. See your Clopay Dealer for wood samples.

#### RECESSED PANEL



#### FLUSH PANEL



- WOOD EXTERIOR BOARD
- POLYSTYRENE INSULATED WOOD FRAME
- WOOD INTERIOR BOARD



#### MODEL 20

MODEL 10



Hemlock Frame, Luan Panel. Paint or Stain Grade Available.



Hemlock Frame, Hardboard Panel. Paint Grade Only.







Smooth Luan







## STYLE AND CONSTRUCTION

- 1-3/8", stile and rail construction in Hemlock.
- Flat panels available in Luan, Okoume and Hardboard. Available in stain grade or paint grade options.
- Multiple panel and section configurations available. See your Clopay Dealer for details.
- All doors can be factory primed or finish painted White. Factory stain available for stained grade wood species. Custom stain and paint colors also available.

## STYLE AND CONSTRUCTION

- 3-layer construction with polystyrene sandwiched between interior and exterior boards. Interior Luan. 5.9 R-value.
- Heavy-duty 1-5/8" section thickness.
- Exterior wood options include smooth Luan and Okoume.
- All doors can be factory primed or finish painted White. Factory stain available for stained grade wood species. Custom stain and paint colors also available.





#### WINDOWS

See page 49 for specialty glass options.

MODEL 44/MODEL 20



Plain Short



Plain Long



Cathedral Short



Cathedral Long



Stockton Short



Stockton Long



Horizon



Sherwood

Designer inserts constructed of carved wood.

#### MODEL 33



Plain Short



Plain Long

Clopay windows come standard with SSB glass. Choose from other options such as DSB, acrylic or obscure. See your Clopay Dealer for availability.

#### MODEL 10



Plain Short



Plain Long



Cathedral Short



Sunset

Decorative inserts constructed of White ABS with UV resistant capstock.



Clopay stain-grade wood doors of any species are available in nine beautiful stain colors. Custom stain and paint color finishes are available upon request. See your Clopay Dealer for the Clopay Wood brochure or to view stained wood samples in person.



Note: Printed colors shown here may vary from actual product colors. Clopay stain colors shown on Hemlock wood. \*Custom colors are available.

#### 3-LAYER STAIN PROCESS



## 3-LAYER PAINT PROCESS



#### WOOD DOOR CARE

- Proper care and maintenance are imperative to the appearance, longevity and performance of all wood doors.
- Doors must be painted or stained on all six sides prior to installation.
   Failure to follow the installation and maintenance instructions will void the warranty.
- Please refer to the installation and maintenance manual or go to <u>www.clopaydoor.com</u> for additional information about caring for a wood door.




CANYON RIDGE®, COACHMAN®, GALLERY® STEEL, BRIDGEPORT™ STEEL AND CLASSIC™ STEEL





Seeded





MODERN STEEL™

Frosted










RESERVE® WOOD AND CLASSIC™ WOOD









Frosted





Frosted Gluechip





Seeded not available on Canyon Ridge® Modern doors. Additional charges for optional glass apply.





## DECORATIVE HARDWARE AVAILABILITY CHART

							Availa	ability					
	Hardware Description  Numbers below correspond with images on page 51	AVANTE® / AVANTE® SLEEK	CANYON RIDGE® Carriage House 5-layer / 4-layer	CANYON RIDGE® CHEVRON	CANYON RIDGE® LOUVER	CANYON RIDGE® MODERN	COACHMAN®	GRAND HARBOR®	GALLERY® STEEL	BRIDGEPORT" STEEL	RESERVE®WOOD LIMITED EDITION	RESERVE® WOOD MODERN	RESERVE® WOOD SEMI-CUSTOM
1	Spade Lift Handles		~	~	~	~	~		~	~	~	~	~
2	Spade Lift Handles							~					
3	Spade Step Plate		~	~	~	~	/	~	~	~	~	~	~
4	Spade Strap Hinge*		~	~	~		/	~	~	~	~		~
5	Twisted "L" Handles		~	~	~		~		~	~	~		~
6	Twisted "T" Handle							~	~	~			
7	Escutcheon Plate(s)		~	~	~		~	~	~	~	~		~
8	Spear Lift Handles		~	~	~		~		~	~	~		~
9	Spear Step Plate		~	~	~		/		~	~	~		~
10	Spear Strap Hinge*		~	~	~		/		~	~	~		~
11	Colonial Lift Handles		~	~	~		~		~	~	~		~
12	Colonial Step Plate		~	~	~		~		~	~	~		/
13	Colonial Strap Hinge*		~	~	~		/		~	~	~		~
14	Decorative Handles with Keyhole		~	~	~		~				~		~
15	Ring Door Knocker		~	~	~		~				~		~
16	Aluminum Grip Handles	~				~						~	
17	Color-matched Lift Handles									~			

<sup>\*</sup>Door may not open properly if installed near the top depending on opening dimensions and lift type. See your Clopay Dealer for more details and/or hardware dimensions.

## decorative HARDWARE

Attractive black powder coated handles and step plates come standard on select Clopay garage doors. To further enhance the design of your door, optional decorative hardware – including handles, operable L-keylocks and strap hinges – is available.



#### PRODUCT SELECTION CHART

	Туре	Model/Design	Door/Panel Style		Colors
vante®		AX, AXU with Section Joint Seal	Contemporary	Aluminum Frame + Glass/Acrylic Panels	Clear Aluminum Anodized, Standard White, Bronze Painted, Chocolate Painted, Bronze
vante® Sleek		AZ5, AZ5U, AZ6, AZ6U	Contemporary	Aluminum Frame + Aluminum Panels Aluminum Frame + Glass/Acrylic Panels	Anodized, Black Anodized, Dark Bronze Anodized or Powder Coated Custom Colors Clear Aluminum Anodized, Standard White, Bronze Painted, Chocolate Painted, Bronz
dille" Sieek		with Section Joint Seal	Contemporary	Aluminum Frame + Aluminum Panels	Anodized, Black Anodized, Dark Bronze Anodized or Powder Coated Custom Colors
nyon Ridge®	Carriage	15 Door Designs, 14 Window	Carriage House	5 Layers:	Medium Finish, Dark Finish, Walnut Finish, Slate Finish, Bronze Finish, Charcoal Finish
, ,	House 5-Layer	or Solid Top Section Designs	,	Clear Cypress, Mahogany and Pecky Cypress textures;	Black Finish, White Finish, Primed (for those wishing to custom paint or stain their do
nyon Ridge®	Carriage	14 Door Designs, 14 Window	Carriage House	Steel + 2" Intellicore® Polyurethane Insulation + Steel + Cladding + Overlay <sup>7</sup> 4 Layers: Clear Cypress, Mahogany and Ultra-Grain®/Solid Steel textures;	Ultra-Grain® Cypress: Medium, Walnut and Slate Finishes, Bronze Finish, Charcoal Fi
ilyuli niuye	House 4-Laver	or Solid Top Section Designs	Саптауе поизе	Steel + 2" Intellicore® Polyurethane Insulation + Steel + Overlay 7	Black Finish, White Finish, Primed (for those wishing to custom paint or stain their do
nyon Ridge®	Chevron	8 Door Designs, 4 Cladding	Carriage House	5 Layers:	Medium Finish, Dark Finish, Walnut Finish, Slate Finish, Bronze Finish, Charcoal Finish
, ,		Deisgn Options, 14 Window	,	Clear Cypress, Mahogany and Pecky Cypress textures;	Black Finish, White Finish, Primed (for those wishing to custom paint or stain their do
nuon Didao®	Louise	or Solid Top Section Designs	Diantation Chuttar	Steel + 2" Intellicore® Polyurethane Insulation + Steel + Cladding + Overlay 7	Madium Finish Dayl, Finish Walnut Finish Clata Finish Branza Finish Characal Finish
nyon Ridge®	Louver	12 Door Designs, 6 Window or Solid Top Section Designs	Plantation Shutter	5 Layers: Clear Cypress, Mahogany, Ultra-Grain®/Solid Steel and Louver Mahogany textures;	Medium Finish, Dark Finish, Walnut Finish, Slate Finish, Bronze Finish, Charcoal Finish Black Finish, White Finish, Primed (for those wishing to custom paint or stain their do
		or cond top coolion beorgno		Steel + 2" Intellicore® Polyurethane Insulation + Steel + Cladding + Overlay <sup>7</sup>	black rimon, white rimon, rimou (for those withing to eastern paint or etain alon at
nyon Ridge®	Modern	3 Door Designs	Contemporary	4 Layers: Clear Cypress and Mahogany textures;	Medium Finish, Dark Finish, Walnut Finish, Slate Finish, Bronze Finish, Charcoal Finish
@anaman@		15 Door Designs 10 Window	Carriage House	Steel + 2" Intellicore® Polyurethane Insulation + Steel + Cladding or Overlay?	Black Finish, White Finish, Primed (for those wishing to custom paint or stain their do
achman®		15 Door Designs, 10 Window or Solid Top Section Designs	Carriage House	4 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel + Composite7 Steel + 2" Bonded Polystyrene Insulation + Steel + Composite7	Base: Standard White, Almond, Desert Tan, Sandtone Overlav: Standard White, Almond, Desert Tan, Sandtone
		or cond top coolion boorgine		Steel + 1-3/8" Bonded Polystyrene Insulation + Steel + Composite	oronay, candara vinto, innone, book han, candono
and Harbor®		8 Door Designs, 16 Window	Carriage House	3 or 2 Layers: Composite + Steel + Insulation, Composite + Steel	Base: Standard White, Almond, Desert Tan, Sandtone
llery® Steel	Throa Layer	or Solid Top Section Designs 2 Door Designs, 25 Window	Carriago House	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel 7	Overlay: Standard White Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate,
iery- Steer	Three-Layer	or Solid Top Section Designs	Carriage House	Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7	Mocha Brown, Charcoal, Black, Lustra™ Black³, Lustra™ Charcoal³, Lustra™ Silver³,
		or cond top coolien beergine		Steel + 2" Bonded Polystyrene Insulation + Steel 7	Ultra-Grain® Oak: Medium, Dark, Walnut and Slate Finishes
	_ ,	0.0 0 1 05 11" 1	0 : "	Steel + 1-3/8" Bonded Polystyrene Insulation + Steel	
llery® Steel	Two-Layer and	2 Door Designs, 25 Window	Carriage House	2 or 1 Layer: Steel + 1-5/16" Polystyrene Insulation; Steel	Standard White, Almond, Desert Tan, Sandtone, Chocolate <sup>1</sup> , Black <sup>2</sup>
dgeport™	One-Layer Three-Layer	or Solid Top Section Designs 2 Door Designs, 25 Window	Shaker (Narrow and	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel 7	Ultra-Grain® Oak: Walnut and Slate Finishes² Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate,
eel	. III OU Layer	or Solid Top Section Designs	Extended Recessed)	Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel	Mocha Brown, Charcoal, Black, Lustra™ Black <sup>3</sup> , Lustra™ Charcoal <sup>3</sup> , Lustra™ Silver <sup>3</sup> ,
			,	0. 44 . 01 4 540004	Ultra-Grain® Oak: Medium, Dark, Walnut and Slate Finishes
idgeport™ eel		2 Door Designs, 25 Window or Solid Top Section Designs	Shaker (Narrow and	2 or 1 Layer: Steel + 1-5/16" Polystyrene Insulation; Steel	Standard White, Almond, Desert Tan, Sandtone, Chocolate <sup>1</sup> , Black <sup>2</sup> Ultra-Grain® Oak: Walnut and Slate Finishes <sup>2</sup>
	One-Layer		Extended Recessed)	Construction (Motorial	
arage Door		Model/Design	Door/Panel Style	Construction / Material	Colors
ndern Steel™	Premium	9202, 9201 No Panel	Modern Flush	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel 7	Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Hunter Green <sup>5</sup> , Gray,
					Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes <sup>4</sup>
ndern Steel™	Premium	9208 No Panel	Modern Flush	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel 7	Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Char
					Black, Gray, Lustra™ Black, Lustra™ Charcoal, Lustra™ Silver, Ultra-Grain® Cypress: Med
odern Steel™	Premium	9205 No Panel	Modern Grooved	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel 7	Cherry, Walnut and Slate Finishes, Ultra-Grain® Plank: Kona and Coastal Gray Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown,
uem sieer	rieiiiuiii	9200 NO FAILEI	wouern arooved	3 Layers. Steer + 2 Interncore Foryuretriane institution + Steer	Charcoal, Black, Gray, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes
odern Steel™	Premium	9209 No Panel	Modern Grooved	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel 7	Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown,
				·	Charcoal, Black, Gray, Lustra™ Black, Lustra™ Charcoal, Lustra™ Silver,
O4 1 <sup>TM</sup>	December 1	0400 0404 0400 No Donol	Madam Flori	O Lawrence Charles of O (O) Latalliance® Dalamenthan a lambding Charl	Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes
odern Steel™	Premium	9132, 9131, 9138 No Panel	Modern Flush	3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7	Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Hunter Green <sup>5</sup> , Gray,
					Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes <sup>4</sup>
odern Steel™	Premium	9139 No Panel	Modern Grooved	3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup>	Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcos
O417H	December 1	4000 4004 4000 No Donal	Madam Flori	O Lawrence Charles Oll Dandard Debut mana lawrentian a Charle	Black, Gray, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes
odern Steel™	Premium	4302, 4301, 4308 No Panel	Modern Flush	3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 7	Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Hunter Green <sup>5</sup> , Gray,
					Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes <sup>4</sup>
odern Steel™	Premium	4305, 4309 No Panel	Modern Grooved	3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 7	Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcos
		440044 D			Black, Gray, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes
odern Steel™	Premium	4132 No Panel	Modern Flush	3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel	Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Gray, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes
odern Steel™	Premium	4051 No Panel	Modern Flush	3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel	Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gra
odern Steel™	Premium	4138 No Panel	Modern Flush	3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel	Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcos
					Black, Gray, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes.
odern Steel™	Value Plus	T42F No Panel	Modern Flush	2 Layers: Steel + 1-5/16" Polystyrene Insulation	Standard White, Almond, Desert Tan, Sandtone, Chocolate
		T40F No Panel	Modern Flush	1 Layer: Steel	Standard White, Almond, Desert Tan, Sandtone, Chocolate
	Value				
dern Steel™		4F No Panel 9200 Raised Panel	Modern Flush Short Flegant	1 Layer: Steel + 2" Intellicore® Polyurethane Insulation + Steel 7	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black
dern Steel™	Premium	9200 Raised Panel	Short Elegant	1 Layer: Steel 3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel 7	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco
ndern Steel™ assic™ Steel					Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcc Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcc
odern Steel™ assic™ Steel assic™ Steel	Premium Premium	9200 Raised Panel 9203 Raised Panel	Short Elegant Long Elegant	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup>	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes
odern Steel™ assic™ Steel assic™ Steel	Premium	9200 Raised Panel	Short Elegant	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel 7	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco
ndern Steel™ nssic™ Steel nssic™ Steel nssic™ Steel	Premium Premium Premium	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel	Short Elegant  Long Elegant  Short Elegant	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup>	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Graine "Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcc Black, Hunter Green, Gray, Ultra-Graine" Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcc Black, Hunter Green, Gray, Ultra-Graine" Classic: Medium, Cherry and Walnut Finishes
odern Steel™ assic™ Steel assic™ Steel assic™ Steel	Premium Premium	9200 Raised Panel 9203 Raised Panel	Short Elegant Long Elegant	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup>	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walhut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walhut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walhut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco
odern Steel™ assic™ Steel assic™ Steel assic™ Steel assic™ Steel	Premium Premium Premium	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel	Short Elegant  Long Elegant  Short Elegant	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup>	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain <sup>2</sup> Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcot Black, Hunter Green, Gray, Ultra-Grain <sup>2</sup> Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcot Black, Hunter Green, Gray, Ultra-Grain <sup>2</sup> Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcot Black, Hunter Green, Gray, Ultra-Grain <sup>2</sup> Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcot Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcot Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcot Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcot Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcot
ndern Steel™ assic™ Steel assic™ Steel assic™ Steel assic™ Steel assic™ Steel assic™ Steel	Premium Premium Premium Premium Premium	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9133 Raised Panel 4300 Raised Panel	Short Elegant  Long Elegant  Short Elegant  Long Elegant  Short Elegant	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup>	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walhut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walhut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walhut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walhut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walhut Finishes
dern Steel™ ssic™ Steel ssic™ Steel ssic™ Steel ssic™ Steel ssic™ Steel ssic™ Steel	Premium Premium Premium Premium	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9133 Raised Panel	Short Elegant Long Elegant Short Elegant Long Elegant	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup>	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco
dern Steel™ ssic™ Steel	Premium Premium Premium Premium Premium Premium Premium	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9130 Raised Panel 4300 Raised Panel 4310 Raised Panel	Short Elegant Long Elegant Short Elegant Long Elegant Short Elegant Short Elegant Long Elegant	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup>	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnuf Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnuf, Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnuf Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnuf Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnuf Finishes
dern Steel™ ssic™ Steel	Premium Premium Premium Premium Premium Premium Premium Premium Premium	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9133 Raised Panel 4300 Raised Panel 4310 Raised Panel 4050 Raised Panel	Short Elegant Long Elegant Short Elegant Long Elegant Short Elegant Long Elegant Long Elegant Short Elegant	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcc Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcc Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcc Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcc Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcc Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcc Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcc Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray
dern Steel <sup>™</sup> ssic <sup>™</sup> Steel	Premium Premium Premium Premium Premium Premium Premium Premium Premium	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9130 Raised Panel 4300 Raised Panel 4310 Raised Panel	Short Elegant Long Elegant Short Elegant Long Elegant Short Elegant Short Elegant Long Elegant	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel <sup>3</sup> 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel <sup>3</sup> 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnuf Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnuf, Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnuf Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnuf Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnuf Finishes
dern Steel™ ssic™ Steel	Premium Premium Premium Premium Premium Premium Premium Premium Premium	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9130 Raised Panel 4300 Raised Panel 4310 Raised Panel 4310 Raised Panel 4050 Raised Panel 4053 Raised Panel	Short Elegant Long Elegant Short Elegant Long Elegant Short Elegant Long Elegant Long Elegant Long Elegant Short Telegant Long Elegant Short Traditional Short Traditional	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mucha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mucha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mucha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Munter Green, Gray
dern Steel* ssic™ Steel	Premium Palue Plus Value Plus Value Plus	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9130 Raised Panel 4300 Raised Panel 4310 Raised Panel 4310 Raised Panel 4050 Raised Panel 4053 Raised Panel 94V Raised Panel 94V R3124 Raised Panel 750, T52S, T42S Raised Panel	Short Elegant Long Elegant Short Elegant Long Elegant Short Elegant Long Elegant Long Elegant Long Elegant Short Elegant Long Elegant Short Traditional Short Traditional Long Traditional Long Traditional	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 2 Layers: Steel + 1-5/16" Polystyrene Insulation 5 Polystyr	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Chocolate
dern Steel ** ssic ** Steel	Premium Value Plus Value Plus Value Plus Value Value Value	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9133 Raised Panel 4300 Raised Panel 4310 Raised Panel 4310 Raised Panel 4050 Raised Panel 4053 Raised Panel 4053 Raised Panel 1500, TS2S, T42S Raised Panel 94 Raised Panel 94 Raised Panel	Short Elegant Long Elegant Short Elegant Long Elegant Short Elegant Long Elegant Long Elegant Long Elegant Short Teaditional Short Traditional Short Traditional Short Traditional	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel <sup>8</sup> 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel <sup>8</sup> 2 Layers: Steel + 1-5/16" Polystyrene Insulation  2 Layers: Steel + 1-5/16" Polystyrene Insulation  2 Layers: Steel + 1-5/16" Polystyrene Insulation  1 Layers: Steel + 1-5/16" Polystyrene Insulation  1 Layers: Steel + 1-5/16" Polystyrene Insulation	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walmuf Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walmuf Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walmuf Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walmuf Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walmuf Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walmuf Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Chocolate
dern Steel* ssic™ Steel	Premium Premium Premium Premium Premium Premium Premium Premium Premium Value Plus Value Plus Value Plus Value'	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9130 Raised Panel 9130 Raised Panel 4300 Raised Panel 4310 Raised Panel 4050 Raised Panel 4053 Raised Panel 94V Raised Panel 1500, 1352, 1425 Raised Panel 76V 152L, 142L Raised Panel 73, 1505, 140S Raised Panel	Short Elegant Long Elegant Short Elegant Long Elegant Short Elegant Long Elegant Long Elegant Long Elegant Long Elegant Short Traditional Short Traditional Short Traditional Short Traditional Short Traditional Short Traditional	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 2 Layers: Steel + 1-5/16" Polystyrene Insulation 2 Layers: Steel + 1-5/16" Polystyrene Insulation 1 Layer: Steel 1 Layers: Ste	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charct Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Chocolate
dern Steel* ssic™ Steel	Premium Value Plus Value Plus Value Value Value Value Value Value Value	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9130 Raised Panel 9130 Raised Panel 4300 Raised Panel 4310 Raised Panel 4310 Raised Panel 4050 Raised Panel 4053 Raised Panel 944 Raised Panel 1500, TS2S, T42S Raised Panel 94 Raised Panel 94 Raised Panel 73, TS0S, T40S Raised Panel 76, T50L, T40L Raised Panel	Short Elegant Long Elegant Short Elegant Long Elegant Short Elegant Long Elegant Long Elegant Long Elegant Long Elegant Short Traditional Short Traditional Short Traditional Long Traditional Long Traditional Long Traditional Long Traditional Long Traditional Long Traditional	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel <sup>8</sup> 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 2 Layers: Steel + 1-5/16" Polystyrene Insulation 2 Layers: Steel + 1-5/16" Polystyrene Insulation 2 Layers: Steel + 1-5/16" Polystyrene Insulation 1 Layer: Steel 1 Lay	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charce Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charce Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charce Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charce Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charce Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charce Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Chocolate
ndern Steel ** Isssic ** Steel Isssic ** Stee	Premium Value Plus Value Plus Value <sup>©</sup> Value <sup>©</sup> Value <sup>©</sup> Value <sup>©</sup> Value <sup>©</sup> Type	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9130 Raised Panel 9130 Raised Panel 4300 Raised Panel 4310 Raised Panel 4310 Raised Panel 4050 Raised Panel 4053 Raised Panel 940 Raised Panel 940 Raised Panel 9500, 1528, T428 Raised Panel 94 Raised Panel 94 Raised Panel 75, 1505, T405 Raised Panel Model / Design	Short Elegant Long Elegant Long Elegant Short Elegant Short Elegant Long Elegant Long Elegant Long Elegant Short Traditional Door/Panel Style	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 7 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 7 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 7 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 2 Layers: Steel + 1-5/16" Polystyrene Insulation 2 Layers: Steel + 1-5/16" Polystyrene Insulation 1 Layer: Steel 1 Layer:	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Chocolate
dern Steel*  ssic™ Steel  ssic ™ Steel  ssic™ Steel  ssic ™ Steel  s	Premium Pus Value Plus Value Plus Value's Value's Value's Value's Value's Value's Value's Value's Custom	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9133 Raised Panel 9133 Raised Panel 4300 Raised Panel 4310 Raised Panel 4050 Raised Panel 4053 Raised Panel 4053 Raised Panel 94V Raised Panel 1500, 1528, 1428 Raised Panel 76, 1521, 1421, Raised Panel 73, 1508, 1408 Raised Panel 76, 1501, 1401 Raised Panel Model/Design Custom	Short Elegant Long Elegant Short Elegant Long Elegant Short Elegant Long Elegant Long Elegant Long Elegant Long Elegant Short Traditional Short Traditional Short Traditional Short Traditional Short Traditional Long Traditional	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 7 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 7 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 2 Layers: Steel + 1-5/16" Polystyrene Insulation 2 Layers: Steel + 1-5/16" Polystyrene Insulation 1 Layer: Steel 1 Layer: Steel 1 Layer: Steel 5 Construction Material 5 Construction Material 5 5 or 4 Layers: Specified Wood; Insulated	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grains' Classic: Medium, Cherry and Walhut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grains' Classic: Medium, Cherry and Walhut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grains' Classic: Medium, Cherry and Walhut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grains' Classic: Medium, Cherry and Walhut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grains' Classic: Medium, Cherry and Walhut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grains' Classic: Medium, Cherry and Walhut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Chocolate Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Chocolate
ndern Steel* Issic™ Steel Issi	Premium Value Plus Value Plus Value <sup>©</sup> Value <sup>©</sup> Value <sup>©</sup> Value <sup>©</sup> Value <sup>©</sup> Type	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9130 Raised Panel 9133 Raised Panel 4300 Raised Panel 4310 Raised Panel 4310 Raised Panel 4050 Raised Panel 4053 Raised Panel 944 Raised Panel 950, TS2S, T42S Raised Panel 94 Raised Panel 94 Raised Panel 75, T50S, T40S Raised Panel 76, T50L, T40L Raised Panel 76, T50L, T40L Raised Panel Model / Design Custom 8 Door Designs, 13 Window or	Short Elegant Long Elegant Long Elegant Short Elegant Short Elegant Long Elegant Long Elegant Long Elegant Short Traditional Door/Panel Style	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 7 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 7 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 7 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 2 Layers: Steel + 1-5/16" Polystyrene Insulation 2 Layers: Steel + 1-5/16" Polystyrene Insulation 1 Layer: Steel 1 Layer:	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Chocolate
dern Steel* issic™ Steel issic	Premium Value Plus Value Plus Value Plus Value's Value's Type Custom Limited Edition	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9133 Raised Panel 4300 Raised Panel 4310 Raised Panel 4310 Raised Panel 4053 Raised Panel 4053 Raised Panel 4053 Raised Panel 1500, T528, T428 Raised Panel 750, T52L, T42L Raised Panel 73, T50S, T40S Raised Panel 73, T50S, T40S Raised Panel Model/Design Custom 8 Door Designs, 13 Window or Solld Top Section Designs	Short Elegant Long Elegant Short Elegant Long Elegant Short Elegant Long Elegant Long Elegant Short Elegant Short Elegant Short Traditional Short Traditional Short Traditional Short Traditional Short Traditional Door/Panel Style Carriage House Carriage House	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel <sup>7</sup> 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel <sup>8</sup> 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel <sup>8</sup> 2 Layers: Steel + 1-5/16" Polystyrene Insulation  2 Layers: Steel + 1-5/16" Polystyrene Insulation  2 Layers: Steel + 1-5/16" Polystyrene Insulation  1 Layer: Steel  1 Layer: Steel  Construction/Material  5 or 4 Layers: Meranti, Cedar, Redwood, Fir, Extira®, Luan; Insulated	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grains' Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grains' Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grains' Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grains' Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grains' Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grains' Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Chocolate Standard White, Almond, Desert Tan, Sandtone, Chocolate Standard White, Almond, Desert Tan, Sandtone, Chocolate Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Chocolate Standard White, Almond, Desert Tan, San
assic™ Steel assi	Premium Value Plus Value Plus Value Plus Value's Value's Type Custom Limited Edition	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9130 Raised Panel 9130 Raised Panel 4300 Raised Panel 4310 Raised Panel 4310 Raised Panel 4050 Raised Panel 4053 Raised Panel 94V Raised Panel 94V Raised Panel 94V Raised Panel 95V, T52L, T42L Raised Panel 94 Raised Panel 94 Raised Panel 75, T30S, T40S Raised Panel 76, T50L, T40L Raised Panel Model/Design Custom 8 Door Designs, 13 Window or Solid Top Section Designs 3 Door Designs 6 Door Designs, 10 Window or	Short Elegant Long Elegant Short Elegant Long Elegant Short Elegant Long Elegant Long Elegant Long Elegant Long Elegant Short Traditional Short Traditional Short Traditional Short Traditional Short Traditional Long Traditional	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 7 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 7 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 2 Layers: Steel + 1-5/16" Polystyrene Insulation 2 Layers: Steel + 1-5/16" Polystyrene Insulation 1 Layer: Steel 1 Layer: Steel 1 Layer: Steel 5 Construction Material 5 Construction Material 5 5 or 4 Layers: Specified Wood; Insulated	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Munter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Chocolate
ndern Steel* Issic™ Steel Issi	Premium Premiu	9200 Raised Panel 9203 Raised Panel 9130 Raised Panel 9133 Raised Panel 9133 Raised Panel 4300 Raised Panel 4310 Raised Panel 4350 Raised Panel 4053 Raised Panel 4053 Raised Panel 940 Raised Panel 941 Raised Panel 942 Raised Panel 943 Raised Panel 943 Raised Panel 950 Raised Panel 964 Raised Panel 976, T50L, T40L Raised Panel Model/Design 8 Door Designs, 13 Window or Solid Top Section Designs 3 Door Designs	Short Elegant Long Elegant Short Elegant Long Elegant Short Elegant Long Elegant Long Elegant Long Elegant Long Elegant Short Traditional Short Traditional Short Traditional Short Traditional Short Traditional Short Traditional Long Traditional Long Traditional Long Traditional Cong Traditional Cong Traditional Cong Traditional Cong Traditional Cong Traditional Cong Traditional Congrape House Carriage House Contemporary	3 Layers: Steel + 2" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 1-3/8" Intellicore® Polyurethane Insulation + Steel 7 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 7 3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel 7 3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 3 1 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel 2 1 Layers: Steel + 1-5/16" Polystyrene Insulation 2 1 Layers: Steel + 1-5/16" Polystyrene Insulation 1 1 Layer: Steel 1 1 Layer: Steel 1 1 Layer: Steel 1 1 Layer: Steel 1 1 Layers: Steel 5 1 Layers: Steel 5 1 Layers: Steel 5 1 Layers: Steel 6 1 Layers: Steel 6 1 Layers: Steel 6 1 Layers: Steel 6 1 Layers: Steel 7 1 Layers: Steel 7 1 Layers: Steel 6 1 Layers: Steel 6 1 Layers: Steel 7 1 Layers: Steel 8 1 Layers: Steel 8 1 Layers: Steel 8 1 Layers: Steel 8 1 Layers: Steel 9 1 Layers: Meranti, Cedar, Redwood, Fir, Extira®, Luan, Insulated 9 1 Layers: Light Cedar, Dark Cedar, Mixed Cedar, Redwood, Fir, Meranti	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charco Black, Hunter Green, Gray, Ultra-Grain* Classic: Medium, Cherry and Walnut Finishes Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray Standard White, Almond, Desert Tan, Sandtone, Chocolate Standard White, A

Not available on long panel and 24 gauge extended panel models.

Not available on 25 gauge models.

Available on 2" Intellicore® polyurethane models.

Not available on Models 9201, 9131 and 4301.

Not available on Models 9202, 9132, 9138, 4302, 4308.

Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.



















imagine

**Clopay**®

<sup>&</sup>lt;sup>6</sup> Not all models available in all regions. See your Clopay Dealer for model availability in your region.

<sup>7</sup> Models come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.

These models also comply with 2015 IECC air infiltration requirement of 0.40 cfm/ft² or less (IECC, Section C402.5.2).